Dart Aerospace Ltd. Monday, 6/25/2007 9:09:54 AM Date: User Kim Johnston **Process Sheet** 1 **Drawing Name** : WEARPLATE Customer : CU-DAR001 Dart Helicopters Services Job Number : 33106 Estimate Number : 10298 : NIA P.O. Number **Part Number** : D25773 **Drawing Number** : D2577 REV E This Issue, : 6/25/2007 : N/A Prsht Rev. Project Number First Issue : SMALL /MED FAB **Drawing Revision** : 33056 Material Previous Run : 7/10/2007 30 Um: Due Date Written By Checked & Approved By Re-format; Incorporated D2577-101/-13 K Comment : Est: 92.09.24 J/RF Est. C 06.07.21 waterjet **Additional Product** Job Number: Seq. #: Description: M1010S16GA 1010/1025/A21/6aA SHEET 1.0 Comment: Qty.: 0.9240 sf(s)/Unit Total: 27.7200 sf(s) Batch: **MIGHSS** FLOW WATER JET 2.0 Comment: FLOW WATER JET 1-Cut D2577-101 as per Dwg D2577 Dwg Rev: Prog Rev: 07-06-28 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 07-06-38 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK

Comment: SECOND

SMALL FAB 1 5.0



SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr



Each

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGE	S			-	
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No:	PAR #:	Fault Category:	NCR: Yes (No) DQA:	Date: <u>07/09/</u>
			QA: N/C Closed:	Date:

NCR:			WORK ORDE	ER NON-CONFORMAN	CE (NCR)			
		Description of NC		Corrective Action Section E	3	Verification	Ammanal	A
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
Š						,		
							-	

NOTE: Date & initial all entries

Monday, 6/25/2007 9:09:54 AM Date: User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: WEARPLATE Job Number: 33106 Part Number: D25773 Job Number: Seq. #: Description: **Machine Or Operation:** BRAKE NC NC BRAKE 6.0 Comment: NC BRAKE 1-Form on brake as per Dwg D2577 using DT8155 and DT8179 2-Identify as D2577-3 INSPECT WORK TO CURRENT STEP 7.0 Q05 Comment: INSPECT WORK TO CURRENT STEP LARGE FABRICATION RESOURCE 1 8.0 LARGE FAB 1 Comment: LARGE FABRICATION RESOURCE 1 Weld hard surface using DT8308A & DT8308B as per Dwg D2577 Qty Description **A/R** 7560 Hardcoat Rod 9.0 QC9 Comment: VISUAL WELDING INSPECTION POWDER COATING 10.0 POWDER COATING Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 11.0 QC3 POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 12.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: F-1 13.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aero	space Ltd
------------------	-----------

W/O:		WORK ORDER	CHANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	* .	•					
Part No	:	PAR #: Fault Category:	NCR: Yes	No DO	Δ.	Date:	

					QA: N/	C Closed:	Date: _	
NCR:			WORK ORD	ER NON-CONFORMANO	CE (NCR)	 		
D.4.7.F	07-0	Description of NC		Corrective Action Section B		Verification	Annessal	A
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
								-
		:	·					

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	33106
Description: Wearshoe	Part Number:	D2577-3
Inspection Dwg: D2577 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension Tolerance Dimension Accept Dimension Accept Dimension Accept Dimension Comments							
2.43 +/-0.030 3.43	_	Tolerance		Accept	Reject		Comments
2.43	3.182	+/-0.010	3.180	1		VERN	
0.220 +/-0.010 1364 V VERN 0.300 +/-0.010 3666 V MT 30.000 +/-0.010 30.00 V MT	2.43	+/-0.030		1			
0.300 +/-0.010 1364 V VERN 36.000 +/-0.010 36.00 V MT 30.000 +/-0.010 30.00 V MT	0.220	+/-0.010	066,	V			
36.000 +/-0.010 36.00 V MT 30.000 +/-0.010 30.00 V MT	0.300	+/-0.010	,364	J,			
30.000 +/-0.010 30.00 V MT	36.000	+/-0.010		V.		1	
	30.000	+/-0.010		J			
						;	
	- 112.0111.40						W 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	1						-
							
	W- W						
					-		


Measured by: 18	Audited by:	50	Prototype Approval:	N/A
Date: 07-06-38	Date:	07/06/25	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	07.06.13	New Issue	KJ/JLM	R

COPIED

Copyright © 1996
PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE
OR COMMUNICATED TO ANY OTHER PERSON WITH DART AEROSPACE
RESS CONDITION THAT IT IS
WRITTEN PERMISSION FROM

7560 HARDCOAT WELD 4.0 LONG 0.063 TO 0.125 HIGH (TYP. 11 PLS.) WELD AFTER BENDING AS ILLUSTRATED PER DT8308-



D2577-1 & D2577-3 WEARSHOE MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED







SHOP COPY SHOP COPY RETURN TO RETURN TO ENGINHERING ENGINHERING SUBJECT TO ANTENNO SUBJEC	
SHWAYDER: WEAPADS (8 PLACES) A 1.50 (TYP)	SECTION A-A SCALE 1:5 R2.00 D2941-300 (REF) REMOVE POWDER COAT FROM THESE SURFACES

D2577-21 & D2577-23 WEARSHOE MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

	DESIGN	DRAWN BY	DART AEROSPACE LTD
	CHECKED	APPROVED	DRAWING NO.
	+	争	02577
	DATE		חורב
	00.09.22		WEARSHOE
	A	96.09.16	NEW ISSUE
	В	96.12.04	ADD HARDCOAT WELDS
	C	97.05.30	CHANGE HOLES TO OBROUNDS
	D	98.08.17	CORRECTED DIMENSIONS ON -1 & -3
·	m	00.09.22	ADD D2577-101/-11/-13 INCORPORATE DE09176

00.09.22

WEARSHOE

DRAWING N

SHEET

2 OF

R0.128 2.50 -(REF) (2 PLACES) SEE DETAIL B ON PAGE 5 2.43 - 6.000 3.182 **-** 12.104 18.000 24.000 30.000 36.000

D2577-101 FLAT PATTERN

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

8.50 — ON FLAT	R50.0
SHOP RETURE ENGINE ENGINE TO . SUBJECT TO . WITHOUT WITH WITHOUT WITHOUT WITHOUT WITHOUT WITHOUT WITHO	SEE DETAIL C ON PAGE 5 FOR D2577-11 ONLY
OP COPY INEERING O AMENDMENT OUT NOTICE OK ORDER	D

D2577-11 & D2577-13 LONGITUDINAL BEND MAKE FROM D2577-101

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright @ 1996 by DART AEROSPACE PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM O BE USED FOR ANY PURPOSE OR AEROSPACE LTD.


COPIED

SIHI


DOCUMENT

ß

D2577-5 FLAT PATTERN



D2577-5 LONGITUDINAL BEND



BREAK ALL SHARP CORNERS 0.010 TO 0.020

AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED







DESIGN	ORAWN BY	DART AEROSPACI
снескер	APPROVED.	DRAWING NO.
*	7	D2577
DATE		ווורכ
00.09.22		WEARSHOE

SHEET

3 약


WEARSHOE

DART

HAWKESBURY, ONTARIO, CANADA

SHEET 4 OF REV. SCALE 1:10

D2577-7 FLAT PATTERN



D2577-7 LONGITUDINAL BEND

SEE DETAIL C ON PAGE 5

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE ENGINEERING RETURN TO SHOP COPY

D2577-7 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

AISI 1010-1025 OR ASTM A36/A366/A569/A570 MATERIAL:

SERIES STEEL 0.063 THICK

FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED







DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECKED	APPROVED	DRAWING NO. D2577	ESBURT, UNTARIO, CANADA		V. E
DATE		TITLE		sc	ALE
00.09.22		WEARSHOE			1:10

DETAIL B (SCALE 1:1)






DETAIL C (SCALE 1:1)



SECTION D-D (SCALE 1:1)



SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE